

SCHRACK | SCHRACK V23148

TE Internal #: 1393204-7 Power Relays, Standard, Bistable, 1 Coil, 1210 mW Coil Power Rating DC, 119 Ω Coil Resistance, 12 VDC Coil Voltage, 1 Form C (CO), SCHRACK V23148

View on TE.com >

Relays & Contactors > Relays > Power Relays



Relay Type: Standard

Coil Magnetic System: Bistable, 1 Coil

Coil Power Rating DC: 1210 mW

Coil Resistance: 119 Ω

Coil Voltage Rating: 12 VDC

Features

Product Type Features

Relay Type

Standard

1

Configuration Features

Contact Arrangement

ennectivity

1 Form C (CO)

Contact Number of Poles

Electrical Characteristics

Insulation Initial Dielectric Between Open Contacts	1000 Vrms
Contact Limiting Making Current	12 A
Contact Limiting Continuous Current	7 A
Insulation Initial Dielectric Between Contacts & Coil	2000 Vrms
Coil Power Rating DC	1210 mW
Coil Resistance	119 Ω
Coil Voltage Rating	12 VDC
Contact Current Rating	7 A
Contact Switching Voltage (Max)	400 VAC
Contact Voltage Rating	250 VAC
Body Features	
Product Weight	9 g[.317 oz]
Contact Features	

C For support call +1 800 522 6752

1393204-7

Power Relays, Standard, Bistable, 1 Coil, 1210 mW Coil Power Rating DC, 119 Ω Coil Resistance, 12 VDC Coil Voltage, 1 Form C (CO), SCHRACK V23148



Contact Material	AgNi90/10
Termination Features	
Relay Connection Type	PCB Termination
Terminal Configuration	Solder Pins
Mechanical Attachment	
Product Mount Type	Printed Circuit Board
Dimensions	
Insulation Clearance Between Contact & Coil	2.5 mm[.098 in]
Insulation Creepage Between Contact & Coil	2.5 mm[.098 in]
Product Width	16.2 mm[.637 in]
Product Length	21.2 mm[.834 in]
Product Height	14.9 mm[.586 in]
Jsage Conditions	
Environmental Ambient Temperature (Max)	70 °C[158 °F]
Operating Temperature Range	-25 - 70 °C[-13 - 158 °F]
Operation/Application	
Solder Process	Wave Solder

Coil Magnetic System

Bistable, 1 Coil

Packaging Method	Carton
Other	
Length Class (Mechanical)	20 - 25 mm
Insulation Initial Dielectric Between Coil & Contact Class	1500 - 2500 V
Insulation Creepage Class	1.5 - 3 mm
Insulation Clearance Class	2.5 - 4 mm
Height Class (Mechanical)	14 - 15 mm
Coil Power Rating Class	1000 - 1500 mW
Width Class (Mechanical)	16 - 20 mm
Contact Current Class	5 - 10 A

Product Compliance

For compliance documentation, visit the product page on TE.com>

1393204-7

Power Relays, Standard, Bistable, 1 Coil, 1210 mW Coil Power Rating DC, 119 Ω Coil Resistance, 12 VDC Coil Voltage, 1 Form C (CO), SCHRACK V23148




EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | SCHRACK V23148